

Technical Data Sheet

Version: 3.1

TITANOS HR978 Rutile Titanium Dioxide Pigment

Description	HR978 is produced with China unique chloride process technology, is recommended for coating, plastic and ink, etc.
Applications	It is recommended for evaluation in: <ul style="list-style-type: none"> • Water and solvent based industrial coatings • Powder coatings • Plastic with higher requirement on gloss and weather durability • Solvent based printing ink
Typical Properties	TiO ₂ content %: 92 Alumina: Yes Zirconia: Yes Organic Treatment: Yes Specific Gravity (g/cm ³): 4.0 Oil Absorption (g/100g): ≤ 20 pH value: 6.5 – 9.0 Residue on sieve of 45 μm(m/m): ≤ 0.1%
Classifications	ISO 591: R2 ASTM D-476-00: Type II CAS number: 13463-67-7 Colour Index: 77891 Pigment white 6
Storage	Keep the product un-stacked in dry and closed rooms at normal temperature and air humidity. To achieve best possible results, we recommend storage under the condition stated above and use within 12 months from delivery.
* Typical Properties not to be construed as specifications	

WWW.TITANOS.COM

Disclaimer:

The information given in this publication is obtained from sources believed to be reliable and every effort has been made to ensure that the data is correct and not misleading. However, Titanos accepts no responsibility for any errors, omissions or incorrect information or for any loss or consequential losses.